


Vehicle and Registration Responses (release 3.0.0)

Introduction:	1
Schemas for the Messages:.....	3
Registration Match List Response:	5
Registration Status Response:	11
Sample XML:.....	75
Registration Match List Response:	75
Registration Status Response:	78
Mapping Nlets XML:	89
Registration Match List Response:	89
Registration Status Response:	90

Introduction:

Nlets, the International Justice and Public Safety Information Sharing Network, is a message switching system serving the criminal justice community. It provides for inter- and intra-state transmission of criminal justice and related information. Nlets is supported by a central computer system located at the Nlets Data Center facility in Northern Phoenix, through which all Nlets traffic to federal, state and local law enforcement and state motor vehicle offices is routed.

The Registration Inquiry transactions are some of the most commonly used transactions on Nlets. A typical inquiry will be sent through the inquirer’s DPS via their state switch to Nlets. Nlets forwards the message to the requested destination(s). The DPS in the destination state will receive the inquiry and request the registration information from its Department of Motor Vehicles (DMV). The retrieved registration information is then returned to the inquirer along the same route.



Until 2009, the Nlets legacy system had no national standard defining the format or content of the detailed vehicle and registration records exchanged through Nlets. Because of this, when law enforcement personnel in one state request information on a vehicle whose records are located in another state, responses containing state-specific data elements, formats and definitions are returned. The requesting officer must contend with 51 potentially different sets of registration data.

AAMVA has a standard which is used to communicate information about Vehicles and Registrations between DMVs and their business partners. Because the vehicle information transmitted over Nlets

originates at the DMV, it has been possible to standardize the Nlets vehicle and registration responses by utilizing the AAMVA standard already in use.

In 2009, Nlets convened a committee that included members of the Nlets community along with representatives from AAMVA to draft the CANDLE specification (CANDLE is an acronym for Collaboration between AAMVA and Nlets for **D**river **L**icense **E**xchange).

At the time, the Department of Justice built an XML data model to facilitate the exchange of information between parties in the justice community. The model was called the Global Justice XML Data Model (GJXDM). To determine which of the GJXDM elements to include in the response message, the CANDLE committee selected the Registration elements that were needed by law enforcement in the Nlets Registration transactions.

In 2012 Nlets reconvened the committee to update the CANDLE specification. By that time a new XML data model called the National Information Exchange Model (NIEM) was created as an outgrowth of the GJXDM Project. The traditional GJXDM data elements were incorporated into the NIEM data model as the JXDM NIEM Subdomain and standalone support for the GJXDM data model expired. The CANDLE specification was updated to use the data elements from the NIEM model to replace the GJXDM elements. Additional Data Elements were added to the specification as well to address the growing needs of the DMV data exchange community. At the time of the drafting of that specification, the NIEM data model was at version 2.0

In 2021 Nlets reconvened the committee again to update the CANDLE specification. As of 2021 the NIEM Data model is at version 5.0. The 2021 CANDLE update, as described in this documentation, replaces NIEM 2.0 data components with their equivalent NIEM 5.0 components. Additional data elements have also been added in this round of updates to meet the evolving needs of the DMV exchange community.

Individual states have their own element definitions that are used within their state to support their own laws and rules. The standardized response is designed to be used for communicating between states. The standardized response, however, may be used as a model for the in-state messages as well.

Schemas for the Messages:

To assist in the implementation of the standardized responses, XML schemas have been built for the Vehicle and Registration responses. These schemas define the content and format of the XML messages. They are designed to be imported into the payload part of the Nlets XML Registration Response messages (types RR and RNR).

The two schemas are the Registration Match List schema and the Registration Status schema. The state providing a response to an inquiry will populate the payload of the response message using the format described in one of these schemas.

The Registration Match List schema includes a summary list of matches found. It is used when an inquiry resulted in multiple matches being found on a states records (i.e. a RNQ registration inquiry by name and date of birth may locate multiple vehicles). Rather than return all the details of all the matches, a summary list is returned. The inquirer can then make a more precise inquiry to select the details of an individual match.

The Registration Status schema is used when an inquiry resulted in a single match on the states.

The schemas were built using the NIEM Core release 5.0 and the JXDM NIEM subdomain release 7.0. The NIEM Core and JXDM subdomain contains XML definitions of information used in the justice community and is designed to facilitate the sharing of information in that community. The Registration schemas use the NIEM by referencing the elements in the NIEM, JXDM and Emergency Management subdomains, hence picking up their definitions.

The full list of namespaces used are as follows:

Domain	Prefix	URI
NIEM Core	nc	http://release.niem.gov/niem/niem-core/5.0/
JXDM	j	http://release.niem.gov/niem/domains/jxdm/7.0/

Any time additional elements need to be added to an entity beyond what is defined in the NIEM core specification, a derived version of the element is created in a separate schema subset and added to the n2c namespace whose URI is “<http://www.nlets.org/niem/nlets-core/2.0/>”. These n2c derived elements are substitutable in an XML document for the element upon which they are based. By way of example if the schema allows for a nc:DriverLicense element at a particular location in an XML document, the n2c:DriverLicense element should be placed there instead

In order to allow for the base components of the response (RegistrationStatus and RegistrationMatch) to be useable in contexts beyond the Nlets transaction, the definition for those elements exist in their own schemas along with their own namespaces and prefixes:

Element	Prefix	URI
RegistrationStatus	nrs2	http://www.nlets.org/niem/nlets-driver-status/2.0
RegistrationMatch	nrm2	http://www.nlets.org/niem/nlets-registration-status/2.0

The Prior version of the CANDLE Specification contained elements for both a code and a textual description of a given property. The Code based elements were constrained to a specific list of values and the Textual based elements allows for any content. Given the challenges within the community of being able to make the data available in the data repositories match the constants of the Code elements, this version of the CANDLE specification has done away with Code based elements entirely. It will, however, be our official recommendation that the content of the Textual based elements be the same as the Code based elements

A DMV or a DPS may hold additional information about a vehicle or registration (i.e. ownership information specific to the state). A method for extending the response has been included in the solution to allow additional information to be incorporated.

In the message descriptions below, there are four columns: Entity, XML Type/Size, Min - Max and Explanation. A brief explanation of each column is contained in the following bulleted items.

- The Entity column lists the XML tag name of the element or attribute in the message. Where possible, GJXDM elements are used. These elements are prefixed with the "j2:" name space. The GJXDM convention for naming elements has the first letter of the tag in upper case, while attributes start with a lower case letter. The column also indicates nesting of the element in the XML structure by using a dash to indicate each level of nesting.
- The XML Type/Size column indicates the format of the element. XML types are specified for elementary elements. XML types include:

--	a group elements that holds sub-elements, they hold nothing that requires a format
string	an alpha-numeric string of characters (the escape characters "<", ">", "&", "'" and "\"" should be replaced by their entity references)
string (<i>coded</i>)	an alpha-numeric string of characters that holds a coded value defined in an enumerated list of the schema.
year	a year in the format "yyyy"
month	a month in the format "--mm"
date	a date in the format "yyyy-mm-dd"
decimal	a number that includes decimal places
integer	a whole number
nonNegativeInteger	a positive whole number
boolean	a "1" for true or a "0" for false
(<i>attribute</i>)	an XML attribute of the proceeding element

- The Min – Max column indicates the minimum and maximum number of repetitions of an element. Most of the elements have a cardinality which allows the element to be omitted, this had to be done because not all states have all the elements. So if a state does not have access to a particular element, the element may be omitted from the response.
- The Explanation column contains a description of the element.

Registration Match List Response:

The following table is a summary of the Registration Match List Responses.

Entry	XML Type / Size	Min - Max	Explanation
nrm2:RegistrationMatch	--	0 - 1	The business data returned in response to a Registration Inquiry when multiple matches are found.
-n2c:Caveat	--	0 - ∞	Contains any information the consumer or the response should know about the response itself
--nc:CaveatText	string	0 - 1	The Text of the Caveat
-nrm2:IndividualMatch	--	0 - 1	The details of the Registration
--n2c:Vehicle	--	0 - 1	Describes inherent and frequently associated characteristics of a Vehicle.
---nc:VehicleIdentification	--	0 - ∞	A unique combination of alphanumeric characters that identifies a specific vehicle. A vehicle identification number is normally imprinted by the manufacturer and attached to the vehicle in specific locations, but is occasionally assigned by titling or registration agencies. Sometimes referred to as a VIN, VIN number.
----nc:IdentificationID	string	0 - ∞	An identifier
----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
---n2c:VehicleMakeText	string	0 - ∞	A code identifying the manufacturer of a vehicle. This value should be consistent with the NCIC VMA codes.

---n2c:VehicleModelText	string	0 - ∞	A code identifying the specific design or type of vehicle made by a manufacturer. Sometimes referred to as the series model.
---n2c:ConveyanceRegistration	--	0 - ∞	A description of the registration of a vehicle.
----j:RegistrationEffectiveDate	--	0 - ∞	A date the current registration becomes effective. This may or may not be the original registration date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j:RegistrationExpirationDate	--	0 - ∞	A date the current registration expires.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----n2c:RegistrationHolder	--	0 - ∞	A person or organization to whom a registration is issued.
-----n2c:Person	--	0 - ∞	A person to whom a registration is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.

-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).
-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----n2c:PersonResidentialAddress	--	0 - ∞	Details about the place in which a person lives. - Use when the residence is different from the mailing address.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a registration is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.

-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:EntityOrganization	--	0 - ∞	An organization to whom a registration is issued.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.

----j:ConveyanceRegistrationPlateIdentification	--	0 - ∞	A number on a metal plate fixed to a vehicle. The purpose of a license plate number is to identify uniquely each vehicle in a state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:ConveyanceRegistrationPlateCategoryText	string	0 - ∞	A type of registration plate or license plate of a vehicle.
----nc:ItemModelYearDate	year	0 - ∞	A year which is assigned to a vehicle by the manufacturer.

Registration Status Response:

The following table is a summary of the Registration Status Responses.

Entry	XML Type / Size	Min - Max	Explanation
nrs2:RegistrationStatus	--	1 - 1	The business data returned in response to a Registration Inquiry when a single match is found.
-n2c:AdditionalInformation	--	0 - ∞	Details about an additional information component for this record
--n2c:StateElement	--	0 - 1	Details state specific information component for this record
---n2c:ElementFieldName	string	0 - 1	The name of the Information Point
---n2c:ElementFieldValue	string	0 - 1	The value of the Information Point
-n2c:Caveat	--	0 - ∞	Contains any information the consumer or the response should know about the response itself
--nc:CaveatText	string	0 - 1	The Text of the Caveat
-nrs2:StandardResponse	--	1 - 1	The details of the Registration
--n2c:Vehicle	--	1 - 1	Describes inherent and frequently associated characteristics of a Vehicle.
---nc:ConveyanceColorPrimaryText	string	0 - ∞	A single, upper-most, front-most, or majority color of a vehicle. Include the standard description of the NCIC code.
---nc:ConveyanceColorSecondaryText	string	0 - ∞	A lower-most or rear-most color of a two-tone vehicle or a lesser color of a multi-colored vehicle. Include the standard description of the NCIC code.
---nc:ItemLeaseIndicator	boolean	0 - ∞	True if a vehicle is leased; false otherwise.

---nc:ItemLengthMeasure	--	0 - ∞	An overall length of a property item as measured from the front to the rear.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
---nc:ItemModelYearDate	year	0 - ∞	A year which is assigned to a vehicle by the manufacturer.
---nc:ItemOwnerAppliedID	string	0 - ∞	Information about a name or number applied to a property item by the owner. This may be an engraving on the property item or may be used to identify a fleets equipment number.
---nc:ItemOwnershipCategoryText	string	0 - ∞	A kind of ownership of an item.
---nc:ItemStyleText	string	0 - ∞	A code identifying the style of a vehicle.
---nc:ConveyanceEngineQuantity	integer	0 - ∞	A number of engines on a vehicle.
---nc:ConveyanceFuelCategoryText	string	0 - ∞	<p>A type of fuel or motive power used to propel a vehicle. Include the standard description of text. The choices for the code are:</p> <ul style="list-style-type: none"> • Gasohol • Compressed Natural Gas • Diesel • Electric • Gasoline • Hybrid • Kerosene • Liquefied Petroleum Gas • Liquefied Natural Gas • Other • Steam

---nc:VehicleCMVIndicator	boolean	0 - ∞	True if a vehicle is a commercial motor vehicle (CMV). Federal rules specify the criteria for defining a CMV.
---nc:VehicleDoorQuantity	integer	0 - ∞	A number of doors of a vehicle.
---nc:VehicleIdentification	--	0 - ∞	A unique combination of alphanumeric characters that identifies a specific vehicle. A vehicle identification number is normally imprinted by the manufacturer and attached to the vehicle in specific locations, but is occasionally assigned by titling or registration agencies. Sometimes referred to as a VIN, VIN number.
----nc:IdentificationID	string	0 - ∞	An identifier
----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
---n2c:VehicleMakeText	string	0 - ∞	A code identifying the manufacturer of a vehicle. This value should be consistent with the NCIC VMA codes.
---n2c:VehicleModelText	string	0 - ∞	A code identifying the specific design or type of vehicle made by a manufacturer. Sometimes referred to as the series model.
---nc:VehicleMSRPAmount	--	0 - ∞	A manufacturer's suggested retail price of a vehicle. Includes the manufacturer-installed standard equipment and suggested delivery and handling, excluding transportation, state, and local taxes.
----nc:Amount	integer	0 - ∞	An Amount
---nc:VehicleOdometerReadingMeasure	--	0 - ∞	A reading of a vehicle odometer to the nearest mile or kilometer.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

----nc:MeasureUnitText	string	0 - ∞	A code identifying the units associated with the odometer reading.
---nc:VehiclePassengerSafeQuantity	integer	0 - ∞	The total safe passenger capacity in a vehicle, accounting for both number of seats and standing room.
---nc:VehicleSeatingQuantity	integer	0 - ∞	A number of seats available for passengers (including the operator) in a vehicle.
---nc:VehicleTransmissionCategoryText	string	0 - ∞	A type of transmission unit in a vehicle Include the standard description of text. The choices for the description are: <ul style="list-style-type: none"> • Automatic • Manual
---nc:VehicleAxleQuantity	integer	0 - ∞	A count of common axles of rotation of one or more wheels of a vehicle, whether power driven or freely rotating.
---nc:VehicleCurrentWeightMeasure	--	0 - ∞	An observed, estimated, or measured weight of the conveyance.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
---nc:VehicleGrossLadenSumWeightMeasure	--	0 - ∞	A sum of values specified by the manufacturer(s) for a truck tractor or trailer for the units that make up a combination. In the absence of a value specified by the manufacturer, an estimate of the gross vehicle weight of a fully loaded unit may be submitted.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
---nc:VehicleGrossLadenUnitWeightMeasure	--	0 - ∞	A value specified by the manufacturer for a single unit truck, truck tractor, or trailer.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
---nc:VehicleMaximumLoadWeightMeasure	--	0 - ∞	A maximum load weight intended for the vehicle to transport, assigned at the point of manufacture. It is normally known as the Gross Vehicle Weight Rating (GVWR). It is applied to pickups, single unit trucks and trailers.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
---nc:VehicleUnladenWeightMeasure	--	0 - ∞	A weight of the vehicle fully equipped for service, not including the weight of the payload (e.g., empty weight). The unladen weight is sometimes referred to as the scale weight.
----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.

---j:VehicleAugmentation	--	0 - ∞	This property is augmentation that applies to type - nc:VehicleType
----j:VehicleInvoiceDate	--	0 - ∞	A date on which the vehicle was invoiced by the manufacturer to the purchaser.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j:VehicleInvoiceIdentification	--	0 - ∞	A manufacturer-assigned number affixed to the paperwork when the manufacturer ships the vehicle.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:VehicleVINAText	string	0 - ∞	A combination of vehicle make and model, derived from Polk's VINA software.
----j:VehicleBrand	--	0 - ∞	A brand issued to a vehicle.
----j:VehicleBrandDate	--	0 - ∞	A date a vehicle brand was applied or obtained.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j:VehicleBrandText	string	0 - ∞	A code providing information about the brand applied to the title or odometer.
----j:VehicleBrander	--	0 - ∞	An organization that brands a vehicle.
----j:VehicleBranderIdentification	--	0 - ∞	A code to uniquely identify a brander (i.e., an entity applying a brand to a vehicle), which could be a state, insurance carrier, junk yard, or salvage yard. States use the US Postal State Codes. Insurance Carriers use the NAIC codes (the NAIC codes are the same as the NICB codes).
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.

-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:VehicleTitle	--	0 - ∞	Details about the ownership and purchase of a vehicle.
-----n2c:TitleHolder	--	0 - ∞	An entity to whom a title is issued.
-----n2c:Person	--	0 - ∞	A person to whom a Title is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).

-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.
-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.

-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonEmergencyContactInformation	--	0 - ∞	A means of contacting someone in the event of an emergency.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.

-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.

-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----n2c:PersonResidentialAddress	--	0 - ∞	Details about the place in which a person lives. - Use when the residence is different from the mailing address.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must be registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
-----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have
-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
-----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a Title is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.

-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.
-----nc:EntityOrganization	--	0 - ∞	An organization to whom a Title is issued.
-----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
-----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.

-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
----j>TitleIdentification	--	0 - ∞	A number used to uniquely identify a certificate of title to a property item. Assigned by a titling jurisdiction authority.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j>TitleIssueDate	--	0 - ∞	A date on which a jurisdictions titling authority issued a title to the owner of the property item.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j>TitleStatus	--	0 - ∞	A status of a property title.

-----nc:StatusText	string	0 - ∞	<p>A most recent known status recorded for a title. Include the standard description of the text. The choices for the description are:</p> <ul style="list-style-type: none"> • Active • In Process • Mailed • Canceled • Stolen Title • Already Surrendered • Held by Garagekeeper • Held for Revenue • Returned for Correction • Held in Abeyance • Transferred • Title Returned Unclaimed • Vehicle Titled Out of State • Revoked • Title Application Withdrawn • Inactive • Suspended • Vehicle Reported Sold Out of State by Owner • Held pending sufficient documentation • Other
-----nc:StatusDescriptionText	string	0 - ∞	A discription of a status
-----nc:StatusDate	--	0 - ∞	A date a status was set, effected, or reported.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
---n2c:ConveyanceRegistration	--	0 - ∞	A description of the registration of a vehicle.

----j:RegistrationAuthorityName	string	0 - ∞	A name of an authority, person, or organization which issued a property registration. This will typically be the name of the state or county.
----j:RegistrationDuplicateQuantity	integer	0 - ∞	A number of times proof of property registration was issued with no change in information by the issuing authority. This number may be more than one because a proof may have been lost. This can be used to track duplicates or replacements.
----j:RegistrationEffectiveDate	--	0 - ∞	A date the current registration becomes effective. This may or may not be the original registration date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j:RegistrationExpirationDate	--	0 - ∞	A date the current registration expires.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----n2c:RegistrationHolder	--	0 - ∞	A person or organization to whom a registration is issued.
-----n2c:Person	--	0 - ∞	A person to whom a registration is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).
-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.
-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.

-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency

-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----n2c:PersonResidentialAddress	--	0 - ∞	Details about the place in which a person lives. - Use when the residence is different from the mailing address.

-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must being registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
-----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have
-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
-----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a Registration is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.

-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.
-----nc:EntityOrganization	--	0 - ∞	An organization to whom a registration is issued.
-----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
-----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.

-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
----j:RegistrationIdentification	--	0 - ∞	A number or text used to uniquely identify a registration certificate or document. Sometimes referred to as a Registration Serial Number.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:RegistrationJurisdiction	--	0 - ∞	A code identifying a state or other jurisdictional unit where a property registration was issued.

-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:RegistrationStatus	--	0 - ∞	A status of a registration.
-----nc:StatusText	string	0 - ∞	A condition or state of someone or something. Include the standard description of the period. The standard choices for the text are: <ul style="list-style-type: none"> • Active • Canceled • Stolen • Expired • Revoked • Suspended • Swap • Inactive • No Status
-----nc:StatusDescriptionText	string	0 - ∞	A discription of a status
-----nc:StatusDate	--	0 - ∞	A date a status was set, effective, or reported.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----j:ConveyanceRegistrationDecal	--	0 - ∞	Details about a sticker attached to a permanent registration plate on a vehicle when it is renewed for the current year.
-----nc:DecalID	string	0 - ∞	An identifier assigned to a registration decal sticker in a given year. Sometimes referred to as a decal number.
-----nc:DecalColorText	string	0 - ∞	A color of a vehicle registration decal. Sometimes referred to as the sticker color.

-----nc:DecalPeriodText	string	0 - ∞	A lifespan of a decal on a vehicle license plate. Include the standard description of the period. The choices for the description are: <ul style="list-style-type: none"> • 2 Years • Full Year Decal • Infinite • Partial Year Decal • Prorated Decal
-----nc:DecalYearDate	year	0 - ∞	A year as shown on the registration decal issued, e.g., 1995, 1996, 1997, etc.
-----nc:DecalMonthDate	month	0 - ∞	A month as shown on the registration decal issued.
----j:ConveyanceRegistrationGrossWeightMeasure	--	0 - ∞	An unladen weight of a vehicle (e.g., single-unit truck, truck combination) plus the weight of the maximum load for which vehicle registration fees have been paid within a particular jurisdiction.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A code list that enumerates units of measurement for a weight value. The choices for the code are: "lb" = pound "kg" = kilogram
----j:ConveyanceRegistrationLocation	--	0 - ∞	The Location where a Registration was issued
-----nc:LocationName	string	0 - ∞	A name of a location.
----j:ConveyanceRegistrationPermanentIndicator	boolean	0 - ∞	True if a registration for a vehicle is permanent; false if a registration is temporary.

----j:ConveyanceRegistrationPlateIdentification	--	0 - ∞	A number on a metal plate fixed to a vehicle. The purpose of a license plate number is to identify uniquely each vehicle in a state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:ConveyanceRegistrationPlateCategoryText	string	0 - ∞	A type of registration plate or license plate of a vehicle.
----j:ConveyanceRegistrationStatus	--	0 - ∞	Additional details about a registration status.

-----nc:StatusText	string	0 - ∞	<p>A most recent known status recorded for a title. Include the standard description of the text. The choices for the description are:</p> <ul style="list-style-type: none"> • Active • In Process • Mailed • Canceled • Stolen Title • Already Surrendered • Held by Garagekeeper • Held for Revenue • Returned for Correction • Held in Abeyance • Transferred • Title Returned Unclaimed • Vehicle Titled Out of State • Revoked • Title Application Withdrawn • Inactive • Suspended • Vehicle Reported Sold Out of State by Owner • Held pending sufficient documentation • Other
-----nc:StatusDescriptionText	string	0 - ∞	A discription of a status
-----nc:StatusDate	--	0 - ∞	A date a status was set, effective, or reported.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----n2c:ConveyanceRegistrationStatusText	string	0 - ∞	A Text description of the Registration Status

-----j:ConveyanceRegistrationStatusDetailText	string	0 - ∞	An additional detail about a registration status.
----n2c:TemporaryTagIndicator	boolean	0 - ∞	True if issued Tag is Temporary
----n2c:DealerPlateIndicator	boolean	0 - ∞	True if the plate has been issued by a dealer
----n2c:RegistrationYear	year	0 - ∞	The Year the Registration was issued
---j:CommercialVehicle	--	0 - ∞	Details about a class of vehicle that includes motor vehicles with a gross vehicle weight rating of 26,001 pounds or more.
----nc:ConveyanceColorPrimaryText	string	0 - ∞	A single, upper-most, front-most, or majority color of a vehicle. Include the standard description of the NCIC code.
----nc:ConveyanceColorSecondaryText	string	0 - ∞	A lower-most or rear-most color of a two-tone vehicle or a lesser color of a multi-colored vehicle. Include the standard description of the NCIC code.
----nc:ItemLeaseIndicator	boolean	0 - ∞	True if a vehicle is leased; false otherwise.
----nc:ItemLengthMeasure	--	0 - ∞	An overall length of a property item as measured from the front to the rear.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
----nc:ItemModelYearDate	year	0 - ∞	A year which is assigned to a vehicle by the manufacturer.
----nc:ItemOwnerAppliedID	string	0 - ∞	Information about a name or number applied to a property item by the owner. This may be an engraving on the property item or may be used to identify a fleets equipment number.
----nc:ItemOwnershipCategoryText	string	0 - ∞	A kind of ownership of an item.

----nc:ItemStyleText	string	0 - ∞	A code identifying the style of a vehicle.
----nc:ConveyanceEngineQuantity	integer	0 - ∞	A number of engines on a vehicle.
----nc:ConveyanceFuelCategoryText	string	0 - ∞	<p>A type of fuel or motive power used to propel a vehicle. Include the standard description of text. The choices for the code are:</p> <ul style="list-style-type: none"> • Gasohol • Compressed Natural Gas • Diesel • Electric • Gasoline • Hybrid • Kerosene • Liquefied Petroleum Gas • Liquefied Natural Gas • Other • Steam
----nc:VehicleCMVIndicator	boolean	0 - ∞	True if a vehicle is a commercial motor vehicle (CMV). Federal rules specify the criteria for defining a CMV.
----nc:VehicleDoorQuantity	integer	0 - ∞	A number of doors of a vehicle.
----nc:VehicleIdentification	--	0 - ∞	A unique combination of alphanumeric characters that identifies a specific vehicle. A vehicle identification number is normally imprinted by the manufacturer and attached to the vehicle in specific locations, but is occasionally assigned by titling or registration agencies. Sometimes referred to as a VIN, VIN number.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.

----n2c:VehicleMakeText	string	0 - ∞	A code identifying the manufacturer of a vehicle.
----n2c:VehicleModelText	string	0 - ∞	A code identifying the specific design or type of vehicle made by a manufacturer. Sometimes referred to as the series model.
----nc:VehicleMSRPAmount	--	0 - ∞	A manufacturer's suggested retail price of a vehicle. Includes the manufacturer-installed standard equipment and suggested delivery and handling, excluding transportation, state, and local taxes.
-----nc:Amount	integer	0 - ∞	An Amount
----nc:VehicleOdometerReadingMeasure	--	0 - ∞	A reading of a vehicle odometer to the nearest mile or kilometer.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
----nc:VehiclePassengerSafeQuantity	integer	0 - ∞	The total safe passenger capacity in a vehicle, accounting for both number of seats and standing room.
----nc:VehicleSeatingQuantity	integer	0 - ∞	A number of seats available for passengers (including the operator) in a vehicle.
----nc:VehicleTransmissionCategoryText	string	0 - ∞	A type of transmission unit in a vehicle Include the standard description of text. The choices for the description are: <ul style="list-style-type: none"> • Automatic • Manual
----nc:VehicleAxleQuantity	integer	0 - ∞	A count of common axles of rotation of one or more wheels of a vehicle, whether power driven or freely rotating.
----nc:VehicleCurrentWeightMeasure	--	0 - ∞	An observed, estimated, or measured weight of the conveyance.

-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
----nc:VehicleGrossLadenSumWeightMeasure	--	0 - ∞	A sum of values specified by the manufacturer(s) for a truck tractor or trailer for the units that make up a combination. In the absence of a value specified by the manufacturer, an estimate of the gross vehicle weight of a fully loaded unit may be submitted.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A code list that enumerates units of measurement for a weight value. The choices for the code are: "lb" = pound "kg" = kilogram
----nc:VehicleGrossLadenUnitWeightMeasure	--	0 - ∞	A value specified by the manufacturer for a single unit truck, truck tractor, or trailer.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A code list that enumerates units of measurement for a weight value. The choices for the code are: "lb" = pound "kg" = kilogram

----nc:VehicleMaximumLoadWeightMeasure	--	0 - ∞	A maximum load weight intended for the vehicle to transport, assigned at the point of manufacture. It is normally known as the Gross Vehicle Weight Rating (GVWR). It is applied to pickups, single unit trucks and trailers.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A code list that enumerates units of measurement for a weight value. The choices for the code are: "lb" = pound "kg" = kilogram
----nc:VehicleUnladenWeightMeasure	--	0 - ∞	A weight of the vehicle fully equipped for service, not including the weight of the payload (e.g., empty weight). The unladen weight is sometimes referred to as the scale weight.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A code list that enumerates units of measurement for a weight value. The choices for the code are: "lb" = pound "kg" = kilogram
----j:VehicleAugmentation	--	0 - ∞	This property is augmentation that applies to type - nc:VehicleType
-----j:VehicleInvoiceDate	--	0 - ∞	A date on which the vehicle was invoiced by the manufacturer to the purchaser.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
----j:VehicleInvoiceIdentification	--	0 - ∞	A manufacturer-assigned number affixed to the paperwork when the manufacturer ships the vehicle.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:VehicleVINAText	string	0 - ∞	A combination of vehicle make and model, derived from Polk's VINA software.
----j:VehicleBrand	--	0 - ∞	A brand issued to a vehicle.
----j:VehicleBrandDate	--	0 - ∞	A date a vehicle brand was applied or obtained.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:VehicleBrandText	string	0 - ∞	A code providing information about the brand applied to the title or odometer.
----j:VehicleBrander	--	0 - ∞	An organization that brands a vehicle.
-----j:VehicleBranderIdentification	--	0 - ∞	A code to uniquely identify a brander (i.e., an entity applying a brand to a vehicle), which could be a state, insurance carrier, junk yard, or salvage yard. States use the US Postal State Codes. Insurance Carriers use the NAIC codes (the NAIC codes are the same as the NICB codes).
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:VehicleTitle	--	0 - ∞	Details about the ownership and purchase of a vehicle.
-----n2c:TitleHolder	--	0 - ∞	An entity to whom a title is issued.

-----n2c:Person	--	0 - ∞	A person to whom a Title is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).
-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.

-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.

-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact

-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----n2c:PersonResidentialAddress	--	0 - ∞	Details about the place in which a person lives. - Use when the residence is different from the mailing address.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must being registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
-----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have
-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
-----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a Title is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.

-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.
-----nc:EntityOrganization	--	0 - ∞	An organization to whom a Title is issued.
-----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
-----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.

-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----j:TitleIdentification	--	0 - ∞	An identification of a certificate of title to a property item.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----j:TitleIssueDate	--	0 - ∞	A date on which a jurisdictions titling authority issued a title to the owner of the property item.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:TitleStatus	--	0 - ∞	A status of a property title.

-----nc:StatusText	string	0 - ∞	<p>A most recent known status recorded for a title. Include the standard description of the text. The choices for the description are:</p> <ul style="list-style-type: none"> • Active • In Process • Mailed • Canceled • Stolen Title • Already Surrendered • Held by Garagekeeper • Held for Revenue • Returned for Correction • Held in Abeyance • Transferred • Title Returned Unclaimed • Vehicle Titled Out of State • Revoked • Title Application Withdrawn • Inactive • Suspended • Vehicle Reported Sold Out of State by Owner • Held pending sufficient documentation • Other
-----nc:StatusDescriptionText	string	0 - ∞	A discription of a status
-----nc:StatusDate	--	0 - ∞	A date a status was set, effective, or reported.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
---nc:Insurance	--	0 - ∞	Details about a coverage by contract whereby one party agrees to indemnify or guarantee another against loss by a specified contingent event or peril.

----nc:InsurancePolicyIdentification	--	0 - ∞	An identification assigned to an insurance policy by an insurance carrier.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----nc:InsuranceCarrierName	string	0 - ∞	A business name of the company maintaining insurance on a vehicle.
----nc:InsuranceEffectiveDateRange	--	0 - ∞	A date range during which an insurance policy coverage is in effect.
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
---n2c:Engine	--	0 - ∞	An engine.
----nc:ConveyanceColorPrimaryText	string	0 - ∞	A single, upper-most, front-most, or majority color of a vehicle. Include the standard description of the NCIC code.
----nc:ConveyanceColorSecondaryText	string	0 - ∞	A lower-most or rear-most color of a two-tone vehicle or a lesser color of a multi-colored vehicle. Include the standard description of the NCIC code.
----nc:ItemLeaseIndicator	boolean	0 - ∞	True if a vehicle is leased; false otherwise.
----nc:ItemLengthMeasure	--	0 - ∞	An overall length of a property item as measured from the front to the rear.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.

-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
----nc:ItemModelYearDate	year	0 - ∞	A year which is assigned to a vehicle by the manufacturer.
----nc:ItemOwnerAppliedID	string	0 - ∞	Information about a name or number applied to a property item by the owner. This may be an engraving on the property item or may be used to identify a fleets equipment number.
----nc:ItemOwnershipCategoryText	string	0 - ∞	A kind of ownership of an item.
----nc:ItemStyleText	string	0 - ∞	A code identifying the style of a vehicle.
----j:EngineCylinderQuantity	integer	0 - ∞	A count of the cylinders contained in the engine of a vehicle. If the vehicle has a rotary engine, a value of '99' is used.
----j:EngineID	string	0 - ∞	An identifier stamped on an engine by a manufacturer.
----j:EngineDisplacementMeasure	--	0 - ∞	The engine displacement of a vehicle.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
----j:EngineHorsepowerQuantity	integer	0 - ∞	The engine horsepower of a vehicle.

----nc:ConveyanceFuelCategoryText	string	0 - ∞	A type of fuel or motive power used to propel a vehicle. Include the standard description of text. The choices for the code are: <ul style="list-style-type: none"> • Gasohol • Compressed Natural Gas • Diesel • Electric • Gasoline • Hybrid • Kerosene • Liquefied Petroleum Gas • Liquefied Natural Gas • Other • Steam
---j:VehicleInspection	--	0 - ∞	An official examination of a vehicle.
----nc:ActivityIdentification	--	0 - ∞	An identification that references an activity.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----nc:ActivityDate	--	0 - ∞	A date of an activity
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----nc:ActivityDescriptionText	string	0 - ∞	A description of an activity.
---j:VehicleInspectionAddress	--	0 - ∞	An address for a facility at which an inspection is performed on a vehicle.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".

-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
----j:VehicleInspectionInspectorIdentification	--	0 - ∞	An jurisdiction-assigned identification of a person or station that performed an inspection of a vehicle.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
----j:VehicleInspectionStationIdentification	--	0 - ∞	An identification of a station which performs a vehicle inspection.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
---n2c:LienHolder	--	0 - ∞	An entity that has a security interest on a property item.
----j:Lien	--	0 - ∞	Details about a legal encumbrance placed on property, such as a vehicle. Historically, liens have been reflected on title documents. Thus, title documents are used to record liens in a way that is visible across jurisdictions.
-----j:LienDate	--	0 - ∞	A date a lien was placed on property.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
----j:LienReleaseDate	--	0 - ∞	A date a legal encumbrance is removed from property.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
----n2c:Person	--	0 - ∞	A person to whom a Lien is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).

-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.
-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.

-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.

-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.

-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must be registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
-----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have
-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
----nc:EntityName	string	0 - ∞	An Name to whom a Lien is issued.

-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.
----nc:EntityOrganization	--	0 - ∞	An organization to whom a Lien is issued.
-----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
-----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.

-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
---n2c:Lessee	--	0 - ∞	An entity which has a contract or lease to use an item.
----nc:EntityOrganization	--	0 - ∞	An organization to whom a Lessee is issued.
----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)

-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
----n2c:Person	--	0 - ∞	A person to whom a Lessee is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.

-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).
-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.
-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE

-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.

-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.

-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must being registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
-----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have

-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a Lessee is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.
---n2c:Lessor	--	0 - ∞	An entity which conveys items by way of a lease.

----nc:EntityOrganization	--	0 - ∞	An organization to whom a Lessor is issued.
-----nc:OrganizationCategoryText	string	0 - ∞	A kind or functional type of organization.
-----nc:OrganizationLocation	--	0 - ∞	A location of an organization.
-----nc:LocationName	string	0 - ∞	A name of a location.
-----nc:OrganizationName	string	0 - ∞	A name of an organization.
-----nc:OrganizationPrimaryContactInformation	--	0 - ∞	A preferred means of contacting an organization.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
----n2c:Person	--	0 - ∞	A person to whom a Lessor is issued.
-----nc:PersonBirthDate	--	0 - ∞	A date a person was born.
-----nc:Date	date	0 - 1	A full date.

-----nc:YearDate	year	0 - 1	A full year.
-----nc:PersonEthnicityText	string	0 - ∞	A code set identifying a cultural lineage of a person.
-----nc:PersonEyeColorText	string	0 - ∞	A color of the eyes of a person.
-----nc:PersonHairColorText	string	0 - ∞	A color of the hair of a person.
-----nc:PersonHeightMeasure	--	0 - ∞	A measurement of the height of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----nc:PersonMedicalFileIndicator	boolean	0 - ∞	True if a medical history file is known to exist for a person; false otherwise.
-----nc:PersonName	--	0 - ∞	A name by which a person is known.
-----nc:PersonGivenName	string	0 - ∞	A first name of a person.
-----nc:PersonMiddleName	string	0 - ∞	A middle name of a person.
-----nc:PersonSurName	string	0 - ∞	A last name or family name of a person.
-----nc:PersonNameSuffixText	string	0 - ∞	A component that is appended after the family name that distinguishes members of a family with the same given, middle, and last name, e.g., Jr, Sr, III, or otherwise qualifies the name (e.g., MD, LLD, PhD).
-----nc:PersonFullName	string	0 - ∞	A first full name (to be used if the name cannot be broken down to the individual elements)
-----nc:PersonOrganDonorIndicator	boolean	0 - ∞	True if the person is an organ donor.
-----nc:PersonOtherIdentification	--	0 - ∞	An identification with a kind that is not explicitly defined in the standard that refers to a person within a certain domain. These are state ID cards or other non-license and non-fingerprint based IDs.

-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:PersonRaceText	string	0 - ∞	A classification of a person based on factors such as geographical locations and genetics. The choices for the code are: <ul style="list-style-type: none"> • ASIAN • BLACK • AMERICAN INDIAN • UNKNOWN • WHITE
-----nc:PersonSexText	string	0 - ∞	The gender or sex of a person. Include the standard description of the period. The choices for the text are: <ul style="list-style-type: none"> • FEMALE • MALE • UNKNOWN
-----nc:PersonSSNIdentification	--	0 - ∞	A 9-digit numeric identifier assigned to a living person by the U.S. Social Security Administration. A social security number of a person. Sometimes referred to as a SSN.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.
-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----nc:PersonWeightMeasure	--	0 - ∞	A measurement of the weight of a person.
-----nc:MeasureValueText	string	0 - ∞	A textual description of a measurement value.
-----nc:MeasureDate	--	0 - ∞	A date a measurement was made.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

-----nc:MeasureUnitText	string	0 - ∞	A unit that qualifies the measurement value.
-----n2c:PersonEmergencyContactInformation	--	0 - ∞	A set of details about how to contact a person or an organization in case of an emergency
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----n2c:ContactName	string	0 - ∞	The name of the Contact
-----n2c:DriverLicense	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----j:DriverLicenseIdentification	--	0 - ∞	Details about a driver's license identifier, including the number and state.
-----nc:IdentificationID	string	0 - ∞	An identifier.
-----nc:IdentificationJurisdiction	--	0 - ∞	An area, region, or unit where a unique identification is issued.

-----nc:JurisdictionText	string	0 - ∞	An area in which an organization or person has some kind of authoritative capacity or responsibility over.
-----n2c:PersonResidentialAddress	--	0 - ∞	Details about the place in which a person lives. - Use when the residence is different from the mailing address.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.
-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----n2c:ResidenceDateRange	--	0 - ∞	The Range in which a person resided at an address
-----nc:StartDate	--	0 - ∞	A start date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----nc:EndDate	--	0 - ∞	An end date.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredSexOffender	--	0 - ∞	A person who is required to register as a sexual offender.
-----j:RegisteredOffenderEndDate	--	0 - ∞	A date a person no longer must register as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.

-----j:RegisteredOffenderEntryDate	--	0 - ∞	A date a person initially registered as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStartDate	--	0 - ∞	A date a person must be registering as an offender.
-----nc:Date	date	0 - 1	A full date.
-----nc:YearDate	year	0 - 1	A full year.
-----j:RegisteredOffenderStatusIndicator	boolean	0 - ∞	True if the registered offender status of a Subject is current; false otherwise.
----j:PersonConcealedFirearmPermitHolderIndicator	boolean	0 - ∞	True if a person has a permit for a concealed firearm or gun; false otherwise.
-----n2c:CommunicationImpairment	--	0 - ∞	Details about any communication impairment a person might have
-----n2c:CommunicationImpairmentIndicator	boolean	0 - ∞	True if the person has a communication impairment
-----n2c:CommunicationImpairmentDescription	string	0 - ∞	Details about the communication impairment
----nc:GenericEntity	--	0 - ∞	A name of an entity to whom a registration is issued. Used when it is not known if the registrant is a person or an organization.
-----nc:EntityName	string	0 - ∞	An Name to whom a Lessor is issued.
-----nc:EntityContactInformation	--	0 - ∞	A set of contact information for an entity.
-----nc:ContactMailingAddress	--	0 - ∞	The mailing address of a person or organization.
-----nc:AddressFullText	string	0 - ∞	A complete Address reference (to be used if the Address cannot be broken down to the individual elements)
-----nc:AddressDeliveryPointText	string	0 - ∞	A complete street reference, e.g., "123 Main Street NW".
-----nc:AddressCityName	string	0 - ∞	A name of a city or town.

-----nc:AddressCountyName	string	0 - ∞	A name of a county.
-----nc:AddressState	--	0 - ∞	Details about a state.
-----nc:StateName	string	0 - ∞	A name of a state, commonwealth, province, or other sub region of a country.
-----nc:AddressCountry	--	0 - ∞	Details about a Country.
-----nc:CountryName	string	0 - ∞	A name of a county.
-----nc:AddressPostalCode	string	0 - ∞	A zip code or postal code.
-----nc:ContactTelephoneNumber	--	0 - ∞	The Phone Number of a person or organization.
-----nc:FullTelephoneNumber	--	0 - ∞	A full telephone number.
-----nc:TelephoneNumberFullID	string	0 - ∞	A full telephone number.
-----nc:EntityDescriptionText	string	0 - ∞	A description of an entity.

Sample XML:

Registration Match List Response:

The following is a sample Registration Match List response in XML format.

```

...
<nrm2:RegistrationMatch xmlns:n2c="http://www.nlets.org/niem/nlets-core/2.0" xmlns:nc="http://release.niem.gov/niem/niem-core/5.0"
xmlns:j="http://release.niem.gov/niem/domains/jxdm/7.0/" xmlns:nrm2="http://www.nlets.org/niem/nlets-registration-match/2.0">
  <n2c:Caveat>
    <nc:CaveatText>Caveat Text</nc:CaveatText>
  </n2c:Caveat>
  <nrm2:IndividualMatch>
    <n2c:Vehicle>
      <nc:VehicleIdentification>
        <nc:IdentificationID>String</nc:IdentificationID>
        <nc:IdentificationJurisdiction>
          <nc:JurisdictionText>String</nc:JurisdictionText>
        </nc:IdentificationJurisdiction>
      </nc:VehicleIdentification>
    </n2c:Vehicle>
  </nrm2:IndividualMatch>
</nrm2:RegistrationMatch>

```

```

</nc:IdentificationJurisdiction>
</nc:VehicleIdentification>
<n2c:VehicleMakeText>String</n2c:VehicleMakeText>
<n2c:VehicleModelText>String</n2c:VehicleModelText>
<n2c:ConveyanceRegistration>
  <j:RegistrationEffectiveDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegistrationEffectiveDate>
  <j:RegistrationExpirationDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegistrationExpirationDate>
  <n2c:RegistrationHolder>
    <n2c:Person>
      <nc:PersonBirthDate>
        <nc:Date>1957-08-13</nc:Date>
      </nc:PersonBirthDate>
      <nc:PersonEthnicityText>String</nc:PersonEthnicityText>
      <nc:PersonEyeColorText>String</nc:PersonEyeColorText>
      <nc:PersonHairColorText>String</nc:PersonHairColorText>
      <nc:PersonHeightMeasure>
        <nc:MeasureValueText>511</nc:MeasureValueText>
        <nc:MeasureUnitText>ft</nc:MeasureUnitText>
      </nc:PersonHeightMeasure>
      <nc:PersonName>
        <nc:PersonGivenName>String</nc:PersonGivenName>
        <nc:PersonMiddleName>String</nc:PersonMiddleName>
        <nc:PersonSurName>String</nc:PersonSurName>
        <nc:PersonNameSuffixText>String</nc:PersonNameSuffixText>
        <nc:PersonFullName>String</nc:PersonFullName>
      </nc:PersonName>
      <nc:PersonRaceText>W</nc:PersonRaceText>
      <nc:PersonSexText>M</nc:PersonSexText>
      <nc:PersonSSNIdentification>
        <nc:IdentificationID>555-44-3333</nc:IdentificationID>
        <nc:IdentificationJurisdiction>
          <nc:JurisdictionText>String</nc:JurisdictionText>
        </nc:IdentificationJurisdiction>
      </nc:PersonSSNIdentification>
      <nc:PersonWeightMeasure>
        <nc:MeasureValueText>250</nc:MeasureValueText>
        <nc:MeasureUnitText>lbs</nc:MeasureUnitText>
      </nc:PersonWeightMeasure>
      <n2c:PersonResidentialAddress>
        <nc:AddressFullText>String</nc:AddressFullText>
        <nc:AddressCityName>String</nc:AddressCityName>
      </n2c:PersonResidentialAddress>
    </n2c:Person>
  </n2c:RegistrationHolder>
</n2c:ConveyanceRegistration>

```

```

    <nc:AddressCountyName>String</nc:AddressCountyName>
    <nc:AddressState>
      <nc:StateName>String</nc:StateName>
    </nc:AddressState>
    <nc:AddressCountry>
      <nc:CountryName>String</nc:CountryName>
    </nc:AddressCountry>
    <nc:AddressPostalCode>String</nc:AddressPostalCode>
  </n2c:PersonResidentialAddress>
</n2c:Person>
</n2c:RegistrationHolder>
<n2c:RegistrationHolder>
  <nc:GenericEntity>
    <nc:EntityName>String</nc:EntityName>
    <nc:EntityContactInformation>
      <nc:ContactMailingAddress>
        <nc:AddressFullText>String</nc:AddressFullText>
        <nc:AddressCityName>String</nc:AddressCityName>
        <nc:AddressCountyName>String</nc:AddressCountyName>
        <nc:AddressState>
          <nc:StateName>String</nc:StateName>
        </nc:AddressState>
        <nc:AddressCountry>
          <nc:CountryName>String</nc:CountryName>
        </nc:AddressCountry>
        <nc:AddressPostalCode>String</nc:AddressPostalCode>
      </nc:ContactMailingAddress>
    </nc:EntityContactInformation>
    <nc:EntityDescriptionText>String</nc:EntityDescriptionText>
  </nc:GenericEntity>
</n2c:RegistrationHolder>
<j:ConveyanceRegistrationPlateIdentification>
  <nc:IdentificationID>String</nc:IdentificationID>
  <nc:IdentificationJurisdiction>
    <nc:JurisdictionText>String</nc:JurisdictionText>
  </nc:IdentificationJurisdiction>
</j:ConveyanceRegistrationPlateIdentification>
</n2c:ConveyanceRegistration>
</n2c:Vehicle>
</nrm2:IndividualMatch>
</nrm2:RegistrationMatch>...

```

Registration Status Response:

The following is a sample Registration History response in XML format. The data contained in the Registration Status response is a subset of the data contained in the Registration History response, so only a History response is shown:

```
...
<nrs2:RegistrationStatus xmlns:n2c="http://www.nlets.org/niem/nlets-core/2.0" xmlns:nc="http://release.niem.gov/niem/niem-core/5.0/"
xmlns:j="http://release.niem.gov/niem/domains/jxdm/7.0/" xmlns:nrs2="http://www.nlets.org/niem/nlets-registration-status/2.0">
  <n2c:AdditionalInformation>
    <n2c:StateElement>
      <n2c:ElementFieldName>String</n2c:ElementFieldName>
      <n2c:ElementFieldValue>String</n2c:ElementFieldValue>
    </n2c:StateElement>
  </n2c:AdditionalInformation>
  <n2c:Caveat>
    <nc:CaveatText>String</nc:CaveatText>
  </n2c:Caveat>
  <nrs2:StandardResponse>
    <n2c:Vehicle>
      <nc:ConveyanceColorPrimaryText>String</nc:ConveyanceColorPrimaryText>
      <nc:ConveyanceColorSecondaryText>String</nc:ConveyanceColorSecondaryText>
      <nc:ItemLeaseIndicator>true</nc:ItemLeaseIndicator>
      <nc:ItemLengthMeasure>
        <nc:MeasureValueText>10</nc:MeasureValueText>
        <nc:MeasureUnitText>ft</nc:MeasureUnitText>
      </nc:ItemLengthMeasure>
      <nc:ItemModelYearDate>2001</nc:ItemModelYearDate>
      <nc:ItemOwnerAppliedID>String</nc:ItemOwnerAppliedID>
      <nc:ItemOwnershipCategoryText>String</nc:ItemOwnershipCategoryText>
      <nc:ItemStyleText>IJ</nc:ItemStyleText>
      <nc:ConveyanceEngineQuantity>10000</nc:ConveyanceEngineQuantity>
      <nc:ConveyanceFuelCategoryText>String</nc:ConveyanceFuelCategoryText>
      <nc:VehicleCMVIndicator>false</nc:VehicleCMVIndicator>
      <nc:VehicleDoorQuantity>4</nc:VehicleDoorQuantity>
      <nc:VehicleIdentification>
        <nc:IdentificationID>String</nc:IdentificationID>
        <nc:IdentificationJurisdiction>
          <nc:JurisdictionText>AZ</nc:JurisdictionText>
        </nc:IdentificationJurisdiction>
      </nc:VehicleIdentification>
      <n2c:VehicleMakeText>TOYT</n2c:VehicleMakeText>
      <n2c:VehicleModelText>CRO</n2c:VehicleModelText>
      <nc:VehicleMSRPAmount>
```

```

    <nc:Amount>1000</nc:Amount>
  </nc:VehicleMSRPAmount>
  <nc:VehicleOdometerReadingMeasure>
    <nc:MeasureValueText>12000</nc:MeasureValueText>
    <nc:MeasureUnitText>M</nc:MeasureUnitText>
  </nc:VehicleOdometerReadingMeasure>
  <nc:VehiclePassengerSafeQuantity>4</nc:VehiclePassengerSafeQuantity>
  <nc:VehicleSeatingQuantity>5</nc:VehicleSeatingQuantity>
  <nc:VehicleTransmissionCategoryText>String</nc:VehicleTransmissionCategoryText>
  <nc:VehicleAxleQuantity>4</nc:VehicleAxleQuantity>
  <nc:VehicleCurrentWeightMeasure>
    <nc:MeasureValueText>3150</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleCurrentWeightMeasure>
  <nc:VehicleGrossLadenSumWeightMeasure>
    <nc:MeasureValueText>3150</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleGrossLadenSumWeightMeasure>
  <nc:VehicleGrossLadenUnitWeightMeasure>
    <nc:MeasureValueText>3150</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleGrossLadenUnitWeightMeasure>
  <nc:VehicleMaximumLoadWeightMeasure>
    <nc:MeasureValueText>3150</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleMaximumLoadWeightMeasure>
  <nc:VehicleUnladenWeightMeasure>
    <nc:MeasureValueText>3150</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleUnladenWeightMeasure>
  <j:VehicleAugmentation>
    <j:VehicleInvoiceDate>
      <nc:Date>1957-08-13</nc:Date>
    </j:VehicleInvoiceDate>
    <j:VehicleInvoiceIdentification>
      <nc:IdentificationID>String</nc:IdentificationID>
      <nc:IdentificationJurisdiction>
        <nc:JurisdictionText>String</nc:JurisdictionText>
      </nc:IdentificationJurisdiction>
    </j:VehicleInvoiceIdentification>
    <j:VehicleVINAText>String</j:VehicleVINAText>
    <j:VehicleBrand>
      <j:VehicleBrandDate>
        <nc:Date>1957-08-13</nc:Date>
      </j:VehicleBrandDate>
    </j:VehicleBrand>
  </j:VehicleAugmentation>

```

```

<j:VehicleBrandText>07</j:VehicleBrandText>
<j:VehicleBrand>
<j:VehicleBrander>
<j:VehicleBranderIdentification>
<nc:IdentificationID>String</nc:IdentificationID>
<nc:IdentificationJurisdiction>
<nc:JurisdictionText>String</nc:JurisdictionText>
</nc:IdentificationJurisdiction>
</j:VehicleBranderIdentification>
</j:VehicleBrander>
<j:VehicleTitle>
<n2c:TitleHolder>
<nc:GenericEntity>
<nc:EntityName>String</nc:EntityName>
<nc:EntityContactInformation>
<nc:ContactMailingAddress>
<nc:AddressFullText>String</nc:AddressFullText>
<nc:AddressCityName>String</nc:AddressCityName>
<nc:AddressCountyName>String</nc:AddressCountyName>
<nc:AddressState>
<nc:StateName>AZ</nc:StateName>
</nc:AddressState>
<nc:AddressCountry>
<nc:CountryName>US</nc:CountryName>
</nc:AddressCountry>
<nc:AddressPostalCode>85085</nc:AddressPostalCode>
</nc:ContactMailingAddress>
</nc:EntityContactInformation>
<nc:EntityDescriptionText>String</nc:EntityDescriptionText>
</nc:GenericEntity>
</n2c:TitleHolder>
<j:TitleIdentification>
<nc:IdentificationID>String</nc:IdentificationID>
<nc:IdentificationJurisdiction>
<nc:JurisdictionText>String</nc:JurisdictionText>
</nc:IdentificationJurisdiction>
</j:TitleIdentification>
<j:TitleIssueDate>
<nc:Date>1957-08-13</nc:Date>
</j:TitleIssueDate>
<j:TitleStatus>
<nc:StatusText>String</nc:StatusText>
<nc:StatusDescriptionText>String</nc:StatusDescriptionText>
<nc:StatusDate>
<nc:Date>1957-08-13</nc:Date>

```

```

    </nc:StatusDate>
  </j>TitleStatus>
</j:VehicleTitle>
</j:VehicleAugmentation>
<n2c:ConveyanceRegistration>
  <j:RegistrationAuthorityName>UT</j:RegistrationAuthorityName>
  <j:RegistrationDuplicateQuantity>0</j:RegistrationDuplicateQuantity>
  <j:RegistrationEffectiveDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegistrationEffectiveDate>
  <j:RegistrationExpirationDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegistrationExpirationDate>
<n2c:RegistrationHolder>
  <n2c:Person>
    <nc:PersonBirthDate>
      <nc:Date>1957-08-13</nc:Date>
    </nc:PersonBirthDate>
    <nc:PersonDigitalImage>
      <nc:BinaryCategoryText>String</nc:BinaryCategoryText>
      <nc:BinaryAvailableIndicator>true</nc:BinaryAvailableIndicator>
      <nc:Base64BinaryObject>String</nc:Base64BinaryObject>
      <nc:BinaryCaptureDate>
        <nc:Date>1957-08-13</nc:Date>
        <nc:YearDate>2001</nc:YearDate>
      </nc:BinaryCaptureDate>
      <nc:BinaryFormatText>jpeg</nc:BinaryFormatText>
    </nc:PersonDigitalImage>
    <nc:PersonEthnicityText>W</nc:PersonEthnicityText>
    <nc:PersonEyeColorText>BRO</nc:PersonEyeColorText>
    <nc:PersonHairColorText>BRO</nc:PersonHairColorText>
    <nc:PersonHeightMeasure>
      <nc:MeasureValueText>511</nc:MeasureValueText>
      <nc:MeasureUnitText>ft</nc:MeasureUnitText>
    </nc:PersonHeightMeasure>
    <nc:PersonMedicalFileIndicator>true</nc:PersonMedicalFileIndicator>
    <nc:PersonName>
      <nc:PersonGivenName>String</nc:PersonGivenName>
      <nc:PersonMiddleName>String</nc:PersonMiddleName>
      <nc:PersonSurName>String</nc:PersonSurName>
      <nc:PersonNameSuffixText>String</nc:PersonNameSuffixText>
      <nc:PersonFullName>String</nc:PersonFullName>
    </nc:PersonName>
    <nc:PersonOrganDonorIndicator>true</nc:PersonOrganDonorIndicator>
    <nc:PersonOtherIdentification>

```

```

<nc:IdentificationID>String</nc:IdentificationID>
<nc:IdentificationJurisdiction>
  <nc:JurisdictionText>UT</nc:JurisdictionText>
</nc:IdentificationJurisdiction>
</nc:PersonOtherIdentification>
<nc:PersonRaceText>W</nc:PersonRaceText>
<nc:PersonSexText>M</nc:PersonSexText>
<nc:PersonSSNIdentification>
  <nc:IdentificationID>555-44-3333</nc:IdentificationID>
  <nc:IdentificationJurisdiction>
    <nc:JurisdictionText>UT</nc:JurisdictionText>
  </nc:IdentificationJurisdiction>
</nc:PersonSSNIdentification>
<nc:PersonWeightMeasure>
  <nc:MeasureValueText>250</nc:MeasureValueText>
  <nc:MeasureUnitText>lbs</nc:MeasureUnitText>
</nc:PersonWeightMeasure>
<n2c:PersonEmergencyContactInformation>
<nc:ContactMailingAddress>
  <nc:AddressFullText>String</nc:AddressFullText>
  <nc:AddressCityName>String</nc:AddressCityName>
  <nc:AddressCountyName>String</nc:AddressCountyName>
  <nc:AddressState>
    <nc:StateName>AZ</nc:StateName>
  </nc:AddressState>
  <nc:AddressCountry>
    <nc:CountryName>US</nc:CountryName>
  </nc:AddressCountry>
  <nc:AddressPostalCode>85085</nc:AddressPostalCode>
</nc:ContactMailingAddress>
<nc:ContactTelephoneNumber>
  <nc:FullTelephoneNumber>
    <nc:TelephoneNumberFullID>623-308-3531</nc:TelephoneNumberFullID>
  </nc:FullTelephoneNumber>
</nc:ContactTelephoneNumber>
<n2c:ContactName>String</n2c:ContactName>
</n2c:PersonEmergencyContactInformation>
<n2c:PersonResidentialAddress>
  <nc:AddressFullText>String</nc:AddressFullText>
  <nc:AddressCityName>String</nc:AddressCityName>
  <nc:AddressCountyName>String</nc:AddressCountyName>
  <nc:AddressState>
    <nc:StateName>AZ</nc:StateName>
  </nc:AddressState>
  <nc:AddressCountry>

```

```

    <nc:CountryName>US</nc:CountryName>
  </nc:AddressCountry>
  <nc:AddressPostalCode>85085</nc:AddressPostalCode>
  <n2c:ResidenceDateRange>
    <nc:StartDate>
      <nc:Date>1957-08-13</nc:Date>
    </nc:StartDate>
    <nc:EndDate>
      <nc:Date>1957-08-13</nc:Date>
    </nc:EndDate>
  </n2c:ResidenceDateRange>
</n2c:PersonResidentialAddress>
<j:RegisteredSexOffender>
  <j:RegisteredOffenderEndDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegisteredOffenderEndDate>
  <j:RegisteredOffenderEntryDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegisteredOffenderEntryDate>
  <j:RegisteredOffenderStartDate>
    <nc:Date>1957-08-13</nc:Date>
  </j:RegisteredOffenderStartDate>
  <j:RegisteredOffenderStatusIndicator>>false</j:RegisteredOffenderStatusIndicator>
</j:RegisteredSexOffender>
<j:PersonConcealedFirearmPermitHolderIndicator>>true</j:PersonConcealedFirearmPermitHolderIndicator>
<n2c:CommunicationImpairment>
  <n2c:CommunicationImpairmentIndicator>>true</n2c:CommunicationImpairmentIndicator>
  <n2c:CommunicationImpairmentDescription>String</n2c:CommunicationImpairmentDescription>
</n2c:CommunicationImpairment>
</n2c:Person>
</n2c:RegistrationHolder>
<j:RegistrationIdentification>
  <nc:IdentificationID>String</nc:IdentificationID>
  <nc:IdentificationJurisdiction>
    <nc:JurisdictionText>AZ</nc:JurisdictionText>
  </nc:IdentificationJurisdiction>
</j:RegistrationIdentification>
<j:RegistrationJurisdiction>
  <nc:JurisdictionText>AZ</nc:JurisdictionText>
</j:RegistrationJurisdiction>
<j:RegistrationStatus>
  <nc:StatusText>String</nc:StatusText>
  <nc:StatusDescriptionText>String</nc:StatusDescriptionText>
  <nc:StatusDate>
    <nc:Date>1957-08-13</nc:Date>
  </nc:StatusDate>

```

```

</nc:StatusDate>
</j:RegistrationStatus>
<j:ConveyanceRegistrationDecal>
  <nc:DecalID>String</nc:DecalID>
  <nc:DecalColorText>String</nc:DecalColorText>
  <nc:DecalPeriodText>String</nc:DecalPeriodText>
  <nc:DecalYearDate>2001</nc:DecalYearDate>
  <nc:DecalMonthDate>--12</nc:DecalMonthDate>
</j:ConveyanceRegistrationDecal>
<j:ConveyanceRegistrationGrossWeightMeasure>
  <nc:MeasureValueText>3214</nc:MeasureValueText>
  <nc:MeasureUnitText>lb</nc:MeasureUnitText>
</j:ConveyanceRegistrationGrossWeightMeasure>
<j:ConveyanceRegistrationLocation>
  <nc:LocationName>AZ</nc:LocationName>
</j:ConveyanceRegistrationLocation>
<j:ConveyanceRegistrationPermanentIndicator>true</j:ConveyanceRegistrationPermanentIndicator>
<j:ConveyanceRegistrationPlateIdentification>
  <nc:IdentificationID>String</nc:IdentificationID>
  <nc:IdentificationJurisdiction>
    <nc:JurisdictionText>AZ</nc:JurisdictionText>
  </nc:IdentificationJurisdiction>
</j:ConveyanceRegistrationPlateIdentification>
<j:ConveyanceRegistrationPlateCategoryText>String</j:ConveyanceRegistrationPlateCategoryText>
<j:ConveyanceRegistrationStatus>
  <nc:StatusText>String</nc:StatusText>
  <nc:StatusDescriptionText>String</nc:StatusDescriptionText>
  <nc:StatusDate>
    <nc:Date>1957-08-13</nc:Date>
  </nc:StatusDate>
  <n2c:ConveyanceRegistrationStatusText>String</n2c:ConveyanceRegistrationStatusText>
  <j:ConveyanceRegistrationStatusDetailText>String</j:ConveyanceRegistrationStatusDetailText>
</j:ConveyanceRegistrationStatus>
<n2c:TemporaryTagIndicator>true</n2c:TemporaryTagIndicator>
<n2c:DealerPlateIndicator>true</n2c:DealerPlateIndicator>
<n2c:RegistrationYear>2001</n2c:RegistrationYear>
</n2c:ConveyanceRegistration>
<j:CommercialVehicle>
  <nc:ItemLeaseIndicator>true</nc:ItemLeaseIndicator>
  <nc:ItemOwnerAppliedID>String</nc:ItemOwnerAppliedID>
  <nc:ItemOwnershipCategoryText>String</nc:ItemOwnershipCategoryText>
  <nc:ConveyanceEngineQuantity>20000</nc:ConveyanceEngineQuantity>
  <nc:ConveyanceFuelCategoryText>String</nc:ConveyanceFuelCategoryText>
  <nc:VehicleCMVIndicator>true</nc:VehicleCMVIndicator>
  <nc:VehicleDoorQuantity>4</nc:VehicleDoorQuantity>

```

```

<nc:VehicleIdentification>
  <nc:IdentificationID>String</nc:IdentificationID>
  <nc:IdentificationJurisdiction>
    <nc:JurisdictionText>AZ</nc:JurisdictionText>
  </nc:IdentificationJurisdiction>
</nc:VehicleIdentification>
<nc:VehicleIdentification>
  <n2c:VehicleMakeText>MAKV</n2c:VehicleMakeText>
  <n2c:VehicleModelText>MOD</n2c:VehicleModelText>
  <nc:VehicleMSRPAmount>
    <nc:Amount>1000</nc:Amount>
  </nc:VehicleMSRPAmount>
  <nc:VehicleOdometerReadingMeasure>
    <nc:MeasureValueText>123456</nc:MeasureValueText>
    <nc:MeasureUnitText />
  </nc:VehicleOdometerReadingMeasure>
  <nc:VehiclePassengerSafeQuantity>4</nc:VehiclePassengerSafeQuantity>
  <nc:VehicleSeatingQuantity>4</nc:VehicleSeatingQuantity>
  <nc:VehicleTransmissionCategoryText>String</nc:VehicleTransmissionCategoryText>
  <nc:VehicleAxleQuantity>4</nc:VehicleAxleQuantity>
  <nc:VehicleCurrentWeightMeasure>
    <nc:MeasureValueText>3216</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleCurrentWeightMeasure>
  <nc:VehicleGrossLadenSumWeightMeasure>
    <nc:MeasureValueText>3216</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleGrossLadenSumWeightMeasure>
  <nc:VehicleGrossLadenUnitWeightMeasure>
    <nc:MeasureValueText>3216</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleGrossLadenUnitWeightMeasure>
  <nc:VehicleMaximumLoadWeightMeasure>
    <nc:MeasureValueText>3216</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleMaximumLoadWeightMeasure>
  <nc:VehicleUnladenWeightMeasure>
    <nc:MeasureValueText>3216</nc:MeasureValueText>
    <nc:MeasureUnitText>lb</nc:MeasureUnitText>
  </nc:VehicleUnladenWeightMeasure>
</j:CommercialVehicle>
<nc:Insurance>
  <nc:InsurancePolicyIdentification>
    <nc:IdentificationID>String</nc:IdentificationID>
    <nc:IdentificationJurisdiction>
      <nc:JurisdictionText>AZ</nc:JurisdictionText>
    </nc:IdentificationJurisdiction>
  </nc:InsurancePolicyIdentification>

```

```

</nc:IdentificationJurisdiction>
</nc:InsurancePolicyIdentification>
<nc:InsuranceCarrierName>String</nc:InsuranceCarrierName>
<nc:InsuranceEffectiveDateRange>
  <nc:StartDate>
    <nc:Date>1957-08-13</nc:Date>
  </nc:StartDate>
  <nc:EndDate>
    <nc:Date>1957-08-13</nc:Date>
  </nc:EndDate>
</nc:InsuranceEffectiveDateRange>
</nc:Insurance>
<j:Engine>
  <nc:ItemLeaseIndicator>true</nc:ItemLeaseIndicator>
  <nc:ItemOwnerAppliedID>String</nc:ItemOwnerAppliedID>
  <nc:ItemOwnershipCategoryText>String</nc:ItemOwnershipCategoryText>
  <j:EngineCylinderQuantity>0</j:EngineCylinderQuantity>
  <j:EngineID>String</j:EngineID>
  <j:EngineDisplacementMeasure>
    <nc:MeasureValueText>321</nc:MeasureValueText>
    <nc:MeasureUnitText>cc</nc:MeasureUnitText>
  </j:EngineDisplacementMeasure>
  <j:EngineHorsepowerQuantity>123</j:EngineHorsepowerQuantity>
</j:Engine>
<j:VehicleInspection>
  <nc:ActivityIdentification>
    <nc:IdentificationID>String</nc:IdentificationID>
    <nc:IdentificationJurisdiction>
      <nc:JurisdictionText>AZ</nc:JurisdictionText>
    </nc:IdentificationJurisdiction>
  </nc:ActivityIdentification>
  <nc:ActivityDate>
    <nc:Date>1957-08-13</nc:Date>
  </nc:ActivityDate>
  <nc:ActivityDescriptionText>String</nc:ActivityDescriptionText>
<j:VehicleInspectionAddress>
  <nc:AddressFullText>String</nc:AddressFullText>
  <nc:AddressCityName>String</nc:AddressCityName>
  <nc:AddressCountyName>String</nc:AddressCountyName>
  <nc:AddressState>
    <nc:StateName>String</nc:StateName>
  </nc:AddressState>
  <nc:AddressCountry>
    <nc:CountryName>US</nc:CountryName>
  </nc:AddressCountry>

```

```

    <nc:AddressPostalCode>85085</nc:AddressPostalCode>
  </j:VehicleInspectionAddress>
  <j:VehicleInspectionInspectorIdentification>
    <nc:IdentificationID>String</nc:IdentificationID>
    <nc:IdentificationJurisdiction>
      <nc:JurisdictionText>AZ</nc:JurisdictionText>
    </nc:IdentificationJurisdiction>
  </j:VehicleInspectionInspectorIdentification>
  <j:VehicleInspectionStationIdentification>
    <nc:IdentificationID>String</nc:IdentificationID>
    <nc:IdentificationJurisdiction>
      <nc:JurisdictionText>AZ</nc:JurisdictionText>
    </nc:IdentificationJurisdiction>
  </j:VehicleInspectionStationIdentification>
</j:VehicleInspection>
<n2c:LienHolder>
  <j:Lien>
    <j:LienDate>
      <nc:Date>1957-08-13</nc:Date>
    </j:LienDate>
    <j:LienReleaseDate>
      <nc:Date>1957-08-13</nc:Date>
    </j:LienReleaseDate>
  </j:Lien>
  <nc:GenericEntity>
    <nc:EntityName>String</nc:EntityName>
    <nc:EntityContactInformation>
      <nc:ContactTelephoneNumber>
        <nc:FullTelephoneNumber>
          <nc:TelephoneNumberFullID>623-308-3531</nc:TelephoneNumberFullID>
        </nc:FullTelephoneNumber>
      </nc:ContactTelephoneNumber>
    </nc:EntityContactInformation>
    <nc:EntityDescriptionText>String</nc:EntityDescriptionText>
  </nc:GenericEntity>
</n2c:LienHolder>
<n2c:Lessor>
  <nc:EntityOrganization>
    <nc:OrganizationCategoryText>String</nc:OrganizationCategoryText>
    <nc:OrganizationLocation>
      <nc:LocationName>AZ</nc:LocationName>
    </nc:OrganizationLocation>
    <nc:OrganizationName>String</nc:OrganizationName>
    <nc:OrganizationPrimaryContactInformation>
      <nc:ContactMailingAddress>

```

```
<nc:AddressFullText>String</nc:AddressFullText>
<nc:AddressCityName>String</nc:AddressCityName>
<nc:AddressCountyName>String</nc:AddressCountyName>
<nc:AddressState>
  <nc:StateName>AZ</nc:StateName>
</nc:AddressState>
<nc:AddressCountry>
  <nc:CountryName>US</nc:CountryName>
</nc:AddressCountry>
<nc:AddressPostalCode>85085</nc:AddressPostalCode>
</nc:ContactMailingAddress>
</nc:OrganizationPrimaryContactInformation>
</nc:EntityOrganization>
</n2c:Lessor>
</n2c:Vehicle>
</nrs2:StandardResponse>
</nrs2:RegistrationStatus>...
```

Mapping Nlets XML:

The following tables list the elements in the Nlets XML responses, the Nlets Legacy response and their corresponding AAMVA elements. The Nlets XML column lists the tag names of the elements and attributes in the message and the source column identifies the code and name of the corresponding AAMVA element.

Registration Match List Response:

Nlets XML	Nlets Legacy Tags	Source in AAMVA Standard	
		Code	Name
nc:OrganizationName	NAM	VOWNAM	OWNER NAME
nc:PersonBirthDate	DOB	VOWDOB	OWNER BIRTH DATE
nc:PersonName	NAM	VOWNAM	OWNER NAME
nc:PersonSexText	SEX	VOWSEX	OWNER SEX
j:RegistrationExpirationDate	LIY	VRGDEX	REGISTRATION EXPIRATION DATE
nc:VehicleIdentification	VIN	VVHIDN	VEHICLE/HULL ID NO (VIN/HIN)
n2c:VehicleMakeText	VMA	VVHMAK	VEHICLE MAKE
nc:ItemModelYearDate	VYR	VVHMYE	VEHICLE MODEL YEAR
j:ConveyanceRegistrationPlateIdentification	LIC	VRGPLN	PLATE NUMBER
j:ConveyanceRegistrationPlateCategoryText	LIT	VRGPLT	REGISTRATION PLATE TYPE
nc:ContactMailingAddress		VOWMAD	OWNER MAILING ADDRESS
nc:ContactMailingAddress nc:AddressDeliveryPointText	ADR		
nc:ContactMailingAddress nc:AddressCityName	CTY		
nc:ContactMailingAddress nc:AddressState	STE		
nc:ContactMailingAddress nc:AddressPostalCode	ZIP		
nc:ContactMailingAddress nc:AddressCountyName	COUNTY		
n2c:RegistrationHolder n2c:Person nc:PersonName	NAM	VOWNAM	OWNER NAME

Registration Status Response:

Nlets XML	Nlets Legacy Tags	Source in AAMVA Standard	
		Code	Name
nc:DecalColorText			n/a
nc:DecalID		VRGPSN	REGISTRATION STICKER NUMBER ISSUED
nc:DecalMonthDate		VRGDMO	REGISTRATION DECAL MONTH
nc:DecalPeriodText		VRGDTP	REGISTRATION DECAL TYPE
nc:DecalYearDate		VRGDYR	REGISTRATION DECAL YEAR
nc:InsuranceCarrierName		VINNAM	INSURANCE COMPANY NAME
nc:InsuranceEffectiveDateRange nc:StartDate		VINPFD	INSURANCE POLICY EFFECTIVE DATE
nc:InsuranceEffectiveDateRange nc:EndDate		VINPED	INSURANCE POLICY EXPIRATION DATE
nc:InsurancePolicyIdentification		VINPNU	INSURANCE POLICY NUMBER
n2c:Lessee nc:EntityOrganization nc:OrganizationPrimaryContactInformation		VLSMAD	LESSEE ADDRESS
n2c:Lessee nc:EntityOrganization nc:OrganizationName		VLENAM	LESSEE NAME
n2c:Lessee n2c:Person n2c:PersonResidentialAddress		VLEMAD	LESSEE ADDRESS
n2c:Lessee n2c:Person nc:PersonName		VLENAM	LESSEE NAME
n2c:Lessor nc:EntityOrganization nc:OrganizationPrimaryContactInformation		VLEMAD	LESSOR ADDRESS
n2c:Lessor nc:EntityOrganization nc:OrganizationName		VLSNAM	LESSOR NAME
n2c:Lessor n2c:Person n2c:PersonResidentialAddress		VLSMAD	LESSOR ADDRESS
n2c:Lessor n2c:Person		VLSNAM	LESSOR NAME

nc:PersonName			
j:LienDate		VLNDAT	LIEN DATE
n2c:LienHolder nc:EntityOrganization nc:OrganizationPrimaryContactInformation		VLHADD	LIENHOLDER ADDRESS
n2c:LienHolder nc:EntityOrganization nc:OrganizationName		VLHNAM	LIENHOLDER NAME
n2c:LienHolder n2c:Person n2c:PersonResidentialAddress		VLHADD	LIENHOLDER ADDRESS
n2c:LienHolder n2c:Person nc:PersonName		VLHNAM	LIENHOLDER NAME
j:LienReleaseDate		VLHRED	LIEN RELEASE DATE
nc:AddressCountyName		VRGCOU	REGISTRATION COUNTY/MOORAGE COUNTY
nc:MeasureDate		VODDTE	ODOMETER DATE
nc:PersonBirthDate	DOB	VOWDOB	OWNER BIRTH DATE
nc:PersonName	NAM	VOWNAM	OWNER NAME
nc:PersonSexText	SEX	VOWSEX	OWNER SEX
nc:ItemLengthMeasure		VVHLEN	VEHICLE LENGTH
nc:ItemOwnerAppliedID		VVHENU	EQUIPMENT NUMBER
j:RegistrationDuplicateQuantity			n/a
j:RegistrationEffectiveDate		VRGDEF	REGISTRATION EFFECTIVE DATE
j:RegistrationExpirationDate	LIY	VRGDEX	REGISTRATION EXPIRATION DATE (<i>year embedded in the date</i>)
j:RegistrationIdentification		VRGRSN	VEHICLE REGISTRATION SERIAL NUMBER
nc:IdentificationJurisdiction		BJUCDE	JURISDICTION CODE
n2c:PersonResidentialAddress		VOWADD	OWNER ADDRESS
nc:StatusDate		VRGSDT	REGISTRATION STATUS DATE
nc:StatusText		VRGSTA	REGISTRATION STATUS CODE
j>TitleIdentification		VTINUM	TITLE NUMBER
j>TitleIssueDate		VTIIDA	TITLE ISSUE DATE
j>TitleStatus nc:StatusDate		VTISTD	TITLE STATUS DATE
j>TitleStatus nc:StatusText		VTISTA	TITLE STATUS
nc:VehicleAxleQuantity		VVHNAX	VEHICLE NUMBER OF AXLES
j:VehicleBrand		VBRCOD	BRAND CODE
j:VehicleBrandDate		VBRDAO	BRAND DATE

j:VehicleBrander		VBRDCD	BRANDER CODE
j:VehicleBrandText		VBRCOD	BRAND CODE
nc:ConveyanceColorPrimaryText	VCO	VVHCOL	VEHICLE/VESSEL MAJOR COLOR
nc:ConveyanceColorSecondaryText		VVHCOM	VEHICLE/VESSEL MINOR COLOR
nc:VehicleCurrentWeightMeasure			n/a
nc:VehicleDoorQuantity		VVHND0	VEHICLE NUMBER OF DOORS
j:EngineCylinderQuantity		VVHNCY	VEHICLE NUMBER OF CYLINDERS
j:EngineDisplacementMeasure		VVHEND	VEHICLE ENGINE DISPLACEMENT
j:EngineDisplacementMeasure nc:MeasureUnitText			n/a
j:EngineHorsepowerQuantity		VVHHPW	VEHICLE HORSEPOWER
j:EngineID		VVHSEN	VEHICLE STAMPED ENGINE NUMBER
nc:ConveyanceFuelCategoryText		VVHFTY	VEHICLE FUEL TYPE
nc:VehicleGrossLadenSumWeightMeasure		VVHGvw	GROSS VEHICLE WEIGHT
nc:VehicleIdentification	VIN	VVHIDN	VEHICLE/HULL ID NO (VIN/HIN)
j:VehicleInspection nc:ActivityDate		VISDTE	INSPECTION DATE
j:VehicleInspectionAddress		VISADD	INSPECTION ADDRESS
j:VehicleInspectionInspectorIdentification		VISINS	INSPECTION INSPECTOR
j:VehicleInspectionStationIdentification		VISSTN	INSPECTION STATION NUMBER
j:VehicleInvoiceDate		VVHIND	VEHICLE INVOICE DATE
j:VehicleInvoiceIdentification		VVHINN	VEHICLE INVOICE NUMBER
nc:ItemLeaseIndicator		VVHLEI	VEHICLE LEASE INDICATOR
n2c:VehicleMakeText	VMA	VVHMAK	VEHICLE MAKE
nc:VehicleMaximumLoadWeightMeasure		VVHVWR	GROSS VEHICLE WEIGHT RATING
n2c:VehicleModelText		VVHMNU	VEHICLE MODEL
nc:ItemModelYearDate	VYR	VVHMYE	VEHICLE MODEL YEAR
nc:VehicleMSRPAmount		VVHMSR	VEHICLE MSRP
nc:VehicleOdometerReadingMeasure nc:MeasureValueText		VODMTR	VEHICLE ODOMETER READING
nc:VehicleOdometerReadingMeasure nc:MeasureUnitText		VODUME	VEHICLE ODOMETER UNIT OF MEASURE
nc:ItemOwnershipCategoryText			n/a
nc:VehiclePassengerSafeQuantity		VVHNPA	VEHICLE/VESSEL NUMBER OF PASSENGERS
j:ConveyanceRegistrationGrossWeightMeasure		VRGGvw	REGISTERED GROSS VEHICLE WEIGHT
j:ConveyanceRegistrationPermanentIndicator		VRGTYP	REGISTRATION TYPE
j:ConveyanceRegistrationPlateIdentification	LIC	VRGPLN	PLATE NUMBER
j:ConveyanceRegistrationPlateCategoryText	LIT	VRGPLT	REGISTRATION PLATE TYPE
j:ConveyanceRegistrationStatus		VRGSTA	REGISTRATION STATUS
nc:VehicleSeatingQuantity		VVHNSE	VEHICLE NUMBER OF SEATS

nc:ItemStyleText	VST	VVHBST	VEHICLE/VESSEL BODY TYPE
nc:VehicleTransmissionCategoryText		VVHTRA	VEHICLE TRANSMISSION CODE
nc:VehicleUnladenWeightMeasure		VVHULW	VEHICLE UNLADEN WEIGHT
j:VehicleVINAText		VVHMNA	VEHICLE/VESSEL MODEL NAME
nc:ContactMailingAddress		VOWMAD	OWNER MAILING ADDRESS
nc:ContactMailingAddress nc:AddressDeliveryPointText	ADR		
nc:ContactMailingAddress nc:AddressCityName	CTY		
nc:ContactMailingAddress nc:AddressState	STE		
nc:ContactMailingAddress j nc:AddressPostalCode	ZIP		
nc:ContactMailingAddress nc:AddressCountyName	COUNTY		
n2c:RegistrationHolder nc:EntityOrganization nc:OrganizationName	NAM	VOWNAM	OWNER NAME
n2c:RegistrationHolder n2c:Person nc:PersonName	NAM	VOWNAM	OWNER NAME